Index of Authors

AKHTAR, M. *see* SELLERS, A. 335–340
ALBERTI, K. G. M. M. *see* BLACKSHEAR, P. J. 107–117
ALI, S. *see* SITARAMAYYA, A. 143–146
ANSTEE, D. J. & TANNER, M. J. A. The distribution of blood-group antigens on butanol extraction of human erythrocyte 'ghosts' 381–386
ARCE, A. *see* MACCIONI, H. J. F. 291–298
ATKINS, G. L. Weighting functions and data truncation in the fitting of multi-exponential functions 125–127

BADAWY, A. A.-B. & EVANS, M. Guinea-pig liver tryptophan pyrrolase. Absence of detectable apoenzyme activity and of hormonal induction by cortisol and possible regulation by tryptophan 445–451
BAUMAN, D. E. *see* MELLENBERGER, R. W. 373–379
BENNETT, H., BULLOCK, G., LOWRY, P. J., MCMARTIN, C. & PETERS, J. Fate of corticotrophins in an isolated adrenal-cell bioassay and decrease of peptide breakdown by cell purification 185–194
BENZIMAN, M. *see* WEINHOUSE, H. 537–542
BERGER, M. *see* RUDERMAN, N. B. 1–10
BERKOFF, C. E. *see* DITULLIO, N. W. 387–394
BLACKSHEAR, P. J. & ALBERTI, K. G. M. M. Experimental diabetic ketoacidosis. Sequential changes of metabolic intermediates in blood, liver, cerebrospinal fluid and brain after acute insulin deprivation in the streptozotocin-diabetic rat 107–117
BLANK, B. *see* DITULLIO, N. W. 387–394
BLOXHAM, D. P. *see* SELLERS, A. 335–340
BODNARYK, R. P. & BRUNET, P. C. J. 3-*O*-Hydrosulphato-4-hydroxyphenethylamine (dopamine 3-*O*-sulphate), a metabolite involved in the sclerotization of insect cuticle 463–469
BROSNAN, J. T. & WILLIAMSON, D. H. Mechanisms for the formation of alanine and aspartate in rat liver *in vivo* after administration of ammonium chloride 453–462
BRUNET, P. C. J. *see* BODNARYK, R. P. 463–469
BULLOCK, G. *see* BENNETT, H. 185–194
BUTT, V. S. *see* HALLIWELL, B. 217–225
BYGRAVE, F. L. *see* REED, K. C. 239–252

CAPUTTO, R. *see* MACCIONI, H. J. F. 291–298
CHANCE, B. *see* POOLE, R. K. 201–210
CHAPPELL, J. B. *see* FOUCHER, B. 415–423; JOHNSON, R. N. 171–175
COX, G. B., GIBSON, F. & MCCANN, L. Oxidative phosphorylation in *Escherichia coli* K12. An uncoupled mutant with altered membrane structure 211–215
CRABTREE, H. C. *see* ROSE, M. S. 437–443

DABEVA, M. D. *see* HADJIOLOV, A. A. 321–334
DAWSON, A. P. & SELWYN, M. J. The action of trialkyltin compounds on mitochondrial respiration. The effect of pH 349–357
DEAN, R. T. Rabbit β-glucuronidase. Purification and properties, and the existence of multiple forms 395–405
DEAN, R. T. Rabbit β-glucuronidase. Subcellular distribution and immunochemical properties 407–413
DEANA, R., MENEGHELLO, R., MANZI, L. & GREGOLIN, C. Formation of acetoacetate from 3-hydroxy-3-methylglutarate by rat liver and isolation of a mitochondrial coenzyme A-transferase activity involved 481–486
DENTON, R. M. *see* HALESTRAP, A. P. 313–316
DITULLIO, N. W., BERKOFF, C. E., BLANK, B., KOSTOS, V., STACK, E. J. & SAUNDERS, H. L. 3-Mercaptopicolinic acid, an inhibitor of gluconeogenesis 387–394
DODGSON, K. S., FITZGERALD, J. W. & PAYNE, W. J. Chemically defined inducers of alkylsulphatases present in *Pseudomonas* C12B 53–62
DODGSON, K. S. *see also* FITZGERALD, J. W. 63–69
DOWNEY, W. L. *see* WILLETT, J. D. 233–237
DRUMMOND, A. H. *see* GORDON, J. L. 165–169
DRUMMOND, G. I. *see* SKALA, J. P. 195–199
DUŠEK, Z. *see* HRADEC, J. 147–154

EGGLESTON, L. V. & KREBS, H. A. Regulation of the pentose phosphate cycle 425–435
EVANS, M. *see* BADAWY, A. A.-B. 445–451
EVANS, M. C. W., LORD, A. V. & REEVES, S. G. The detection and characterization by electron-paramagnetic-resonance spectroscopy of iron–sulphur proteins and other electron-transport components in chromatophores from the purple bacterium *Chromatium* 177–183

FAULKNER, A. & TURNER, J. M. Microbial metabolism of amino alcohols. Aminoacetone metabolism via 1-aminopropan-2-ol in *Pseudomonas* sp. N.C.I.B. 8858 263–276
FITZGERALD, J. W., DODGSON, K. S. & PAYNE, W. J. Induction of primary alkylsulphatases and metabolism of sodium hexan-1-yl sulphate by *Pseudomonas* C12B 63–69
FITZGERALD, J. W. *see also* DODGSON, K. S. 53–62
FLETCHER, K. *see* ROSE, M. S. 437–443
FORSDYKE, D. R. *see* SJOSTROM, D. A. 253–262
FOUCHER, B., CHAPPELL, J. B. & MCGIVAN, J. D. The effects of acetylcolletotrichin on the mitochondrial respiratory chain 415–423

GAFFNEY, J. & GOAD, L. J. Progesterone metabolism by the echinoderms *Asterias rubens* and *Marthasterias glacialis* 309–311
GALLIARD, T., WARDALE, D. A. & MATTHEW, J. A. The enzymic and non-enzymic degradation of colneleic acid, an unsaturated fatty acid ether intermediate in the lipoxygenase pathway of linoleic acid oxidation in potato (*Solanum tuberosum*) tubers 23–31
GARFINKEL, D. *see* HAUT, M. J. 511–524
GIBSON, F. *see* COX, G. B. 211–215
GOAD, L. J. *see* GAFFNEY, J. 309–311
GONZÁLEZ-CADAVID, N. F. & QUIJADA, F. H. Inhibition of translation in liver polyribosomes by a new substituted thiopseudourea with antitumour action 129–141
GOODMAN, M. N. *see* PARRILLA, R. 341–348; RUDERMAN, N. B. 1–10

GORDON, J. L. & DRUMMOND, A. H. A simple fluorimetric microassay for adenine compounds in platelets and plasma and its application to studies on the platelet-release reaction 165–169
GREGOLIN, C. *see* DEANA, R. 481–486

HADJIOLOV, A. A., DABEVA, M. D. & MACKEDONSKI, V. V. The action of α-amanitin *in vivo* on the synthesis and maturation of mouse liver ribonucleic acids 321–334
HAHN, P. *see* SKALA, J. P. 195–199
HALESTRAP, A. P. & DENTON, R. M. Specific inhibition of pyruvate transport in rat liver mitochondria and human erythrocytes by α-cyano-4-hydroxycinnamate 313–316
HALLIWELL, B. Oxidation of formate by peroxisomes and mitochondria from spinach leaves 77–85
HALLIWELL, B. & BUTT, V. S. Oxidative decarboxylation of glycollate and glyoxylate by leaf peroxisomes 217–225
HASLAM, R. J. & MCCLENAGHAN, M. D. Effects of collagen and of aspirin on the concentration of guanosine 3′:5′-cyclic monophosphate in human blood platelets: measurement by a prelabelling technique 317–320
HAUT, M. J., LONDON, J. W. & GARFINKEL, D. Simulation of the pentose cycle in lactating rat mammary gland 511–524
HELLMAN, B., IDAHL, L.-A., LERNMARK, A., SEHLIN, J. & TÄLJEDAL, I.-B. The pancreatic β-cell recognition of insulin secretagogues. Effects of calcium and sodium ions on glucose metabolism and insulin release 33–45
HRADEC, J., DUŠEK, Z. & MACH, O. Influence of cholesteryl 14-methylhexadecanoate on some ribosomal functions required for peptide elongation 147–154
HUNT, J. A. Half-life and rate of synthesis of globin messenger ribonucleic acid. Determination of half-life of messenger ribonucleic acid and its relative synthetic rate in erythyroid cells 487–498
HUNT, J. A. Rate of synthesis and half-life of globin messenger ribonucleic acid. Rate of synthesis of globin messenger ribonucleic acid calculated from data of cell haemoglobin content 499–510

IDAHL, L.-A. *see* HELLMAN, B. 33–45

JOHNSON, R. N. & CHAPPELL, J. B. The inhibition of mitochondrial dicarboxylate transport by inorganic phosphate, some phosphate esters and some phosphonate compounds 171–175
JONES, L. M. *see* MICHELL, R. H. 47–52

KAKO, K. J. *see* LIU, M.-S. 11–21
KENNEDY, L. D. Teichoic acid synthesis in *Bacillus stearothermophilus* 525–535
KOSTOS, V. *see* DITULLIO, N. W. 387–394
KREBS, H. A. *see* EGGLESTON, L. V. 425–435
KRISHNAN, P. S. *see* SITARAMAYYA, A. 143–146

LANDA, C. *see* MACCIONI, H. J. F. 291–298
LERNMARK, A. *see* HELLMAN, B. 33–45
LIU, M.-S. & KAKO, K. J. Characteristics of mitochondrial and microsomal monoacyl- and diacyl-glycerol 3-phosphate biosynthesis in rabbit heart 11–21
LLOYD, D. *see* POOLE, R. K. 201–210
LONDON, J. W. *see* HAUT, M. J. 511–524
LORD, A. V. *see* EVANS, M. C. W. 177–183
LOWRY, P. J. & MCMARTIN, C. Metabolism of two adrenocorticotrophin analogues in the intestine of the rat 87–95
LOWRY, P. J. *see also* BENNETT, H. 185–194
LUTWAK-MANN, C. *see* MCINTOSH, J. E. A. 97–105

MACCIONI, H. J. F., ARCE, A., LANDA, C. & CAPUTTO, R. Rat brain microsomal gangliosides. Accessibility to a neuraminidase preparation and the possible existence of different pools in relation to their biosynthesis 291–298
MACH, O. *see* HRADEC, J. 147–154
MACKEDONSKI, V. V. *see* HADJIOLOV, A. A. 321–334
MANZI, L. *see* DEANA, R. 481–486
MARTIN, H. G. & THORNE, K. J. I. Synthesis of radioactive dolichol from [4*S*-^{3}H]mevalonate in the regenerating rat liver 277–280
MARTIN, H. G. & THORNE, K. J. I. The involvement of endogenous dolichol in the formation of lipid-linked precursors of glycoprotein in rat liver 281–289
MATTHEW, J. A. *see* GALLIARD, T. 23–31
MCCANN, L. *see* COX, G. B. 211–215
MCCLENAGHAN, M. D. *see* HASLAM, R. J. 317–320
MCGIVAN, J. D. *see* FOUCHER, B. 415–423
MCINTOSH, J. E. A. & LUTWAK-MANN, C. Calcium transport in the early conceptus and associated maternal tissues in the rabbit 97–105
MCMARTIN, C. *see* BENNETT, H. 185–194; LOWRY, P. J. 87–95
MELLENBERGER, R. W. & BAUMAN, D. E. Metabolic adaptations during lactogenesis. Fatty acid synthesis in rabbit mammary tissue during pregnancy and lactation 373–379
MENEGHELLO, R. *see* DEANA, R. 481–486
MICHELL, R. H. & JONES, L. M. Enhanced phosphatidylinositol labelling in rat parotid fragments exposed to α-adrenergic stimulation 47–52
MIDGLEY, J. E. M. & SMITH, R. J. The control of ribonucleic acid synthesis in bacteria. Fluctuations in messenger ribonucleic acid synthesis in cultures recovering from amino acid starvation 155–163
MIQUELIS, R. & SIMON, C. Fractionation of iodinated particles and mitochondria from thyroid by zonal centrifugation and a study of their heterogeneity 299–304
MUNDAY, K. A. *see* SELLERS, A. 335–340

NICHOLAS, D. J. D. *see* RITCHIE, G. A. F. 471–480

O'TOOLE, K. Contamination of free ribosome fractions by detached previously membrane-bound ribosomes 305–307
O'TOOLE, K. & POLLAK, J. K. Changes in free and membrane-bound ribosomes during the development of chick liver. A new cell-fractionation approach 359–371

PARRILLA, R. & GOODMAN, M. N. Nitrogen metabolism in the isolated perfused rat liver. Nitrogen balance, redox state and rates of proteolysis 341–348
PAYNE, W. J. *see* DODGSON, K. S. 53–62; FITZGERALD, J. W. 63–69
PETERS, J. *see* BENNETT, H. 185–194
POLLAK, J. K. *see* O'TOOLE, K. 359–371

POOLE, R. K., LLOYD, D. & CHANCE, B. The development of cytochromes during the cell cycle of a glucose-repressed fission yeast, *Schizosaccharomyces pombe* 972h 201–210

QUIJADA, F. H. *see* GONZÁLEZ-CADAVID, N. F. 129–141

RAIJMAN, L. Citrulline synthesis in rat tissues and liver content of carbamoyl phosphate and ornithine 225–232
REED, K. C. & BYGRAVE, F. L. Accumulation of lanthanum by rat liver mitochondria 239–252
REEVES, S. G. *see* EVANS, M. C. W. 177–183
RITCHIE, G. A. F. & NICHOLAS, D. J. D. The partial characterization of purified nitrite reductase and hydroxylamine oxidase from *Nitrosomonas europaea* 471–480
ROSE, M. S., CRABTREE, H. C., FLETCHER, K. & WYATT, I. Biochemical effects of diquat and paraquat. Disturbance of the control of corticosteroid synthesis in rat adrenal and subsequent effects on the control of liver glycogen utilization 437–443
ROSS, P. S. *see* RUDERMAN, N. B. 1–10
RUDERMAN, N. B., ROSS, P. S., BERGER, M. & GOODMAN, M. N. Regulation of glucose and ketone-body metabolism in brain of anaesthetized rats 1–10

SAUNDERS, H. L. *see* DITULLIO, N. W. 387–394
SCOPES, R. K. Studies with a reconstituted muscle glycolytic system. The anaerobic glycolytic response to simulated tetanic contraction 119–123
SEHLIN, J. *see* HELLMAN, B. 33–45
SELLERS, A., BLOXHAM, D. P., MUNDAY, K. A. & AKHTAR, M. Anti-anabolic effects of adenosine 3′:5′-cyclic monophosphate. Inhibition of protein synthesis 335–340
SELWYN, M. J. *see* DAWSON, A. P. 349–357
SIMON, C. *see* MIQUELIS, R. 299–304
SITARAMAYYA, A., ALI, S., SREE KUMAR, K. & KRISHNAN, P. S. Induction of guanidine deaminase and its inhibitor in rodent liver and brain 143–146
SJOSTROM, D. A. & FORSDYKE, D. R. Isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of thymidine and deoxycytidine into cultured thymus cells 253–262
SKALA, J. P., DRUMMOND, G. I. & HAHN, P. A protein kinase inhibitor in brown adipose tissue of developing rats 195–199
SMITH, R. J. *see* MIDGLEY, J. E. M. 155–163
SREE KUMAR, K. *see* SITARAMAYYA, A. 143–146
STACK, E. J. *see* DITULLIO, N. W. 387–394

TÄLJEDAL, I.-B. *see* HELLMAN, B. 33–45
TANNER, M. J. A. *see* ANSTEE, D. J. 381–386
THORNE, K. J. I. *see* MARTIN, H. G. 277–280, 281–289
TURNER, J. M. *see* FAULKNER, A. 263–276

WARDALE, D. A. *see* GALLIARD, T. 23–31
WEINHOUSE, H. & BENZIMAN, M. Regulation of hexose phosphate metabolism in *Acetobacter xylinum* 537–542
WILLETT, J. D. & DOWNEY, W. L. Sterol biosynthesis in the free-living nematode *Panagrellus redivivus* 233–237
WILLIAMSON, D. H. *see* BROSNAN, J. T. 453–462
WOOD, T. Catalysis of pentose phosphate pathway reactions by cytoplasmic fractions from muscle, uterus and liver of the rat, and the presence of a reduced nicotinamide–adenine dinucleotide phosphate–triose phosphate oxidoreductase in rat muscle 71–76
WYATT, I. *see* ROSE, M. S. 437–443

Index of Subjects

Acetoacetate, formation of, from 3-hydroxy-3-methylglutarate by rat liver and evidence for the involvement of a mitochondrial coenzyme A-transferase activity (Deana, R., Meneghello, R., Manzi, L. & Gregolin, C.) 481–486

Acetoacetate, regulation of the metabolism of glucose, 3-hydroxybutyrate and, in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10

Acetobacter xylinum, regulation of the metabolism of hexose phosphates in (Weinhouse, H. & Benziman, M.) 537–542

Acetylcolletotrichin, effects of, on the respiratory chain of mitochondria from various sources (Foucher, B., Chappell, J. B. & McGivan, J. D.) 415–423

Acetylsalicylate, effects of collagen and, on the concentration of guanosine 3′:5′-cyclic monophosphate in human blood platelets (Haslam, R. J. & McClenaghan, M. D.) 317–320

Adenine nucleotides, total, simple fluorimetric micro assay method for, in blood platelets and plasma and its application to studies on the platelet release reaction (Gordon, J. L. & Drummond, A. H.) 165–169

Adenosine 3′:5′-cyclic monophosphate, inhibitory effect of, on the biosynthesis of protein in a cell-free system from rat liver (Sellers, A., Bloxham, D. P., Munday, K. A. & Akhtar, M.) 335–340

Adenosine 3′:5′-cyclic monophosphate, possible role of a protein kinase inhibitor in regulating the action of, in developing rat brown adipose tissue (Skala, J. P., Drummond, G. I. & Hahn, P.) 195–199

Adenosine triphosphatase, anaerobic glycolysis in a reconstituted mixture of glycolytic enzymes from skeletal muscle in response to the addition of (Scopes, R. K.) 119–123

Adenosine triphosphatase, magnesium ion-stimulated, activities of, in mutant strains of *Escherichia coli* in which oxidative phosphorylation is uncoupled (Cox, G. B., Gibson, F. & McCann, L.) 211–215

Adipose tissue, brown, rat, properties of a protein kinase inhibitor from (Skala, J. P., Drummond, G. I. & Hahn, P.) 195–199

Adrenal gland, rat, effects of the administration of diquat and paraquat on control of the biosynthesis of corticosteroids in, and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443

Adrenal-gland cells, rat, isolated, use of a cell purification procedure to diminish inactivation by peptidase activity during the bioassay of corticotrophin and analogues with a system containing (Bennett, H., Bullock, G., Lowry, P. J., McMartin, C. & Peters, J.) 185–194

Adrenaline, enhanced incorporation of inorganic [^{32}P]-phosphate into phosphatidylinositol in rat parotid-salivary-gland fragments exposed to stimulation by, and α-adrenergic agonists (Michell, R. H. & Jones, L. M.) 47–52

α-Adrenergic stimulation, enhanced incorporation of inorganic [^{32}P]phosphate into phosphatidylinositol in rat parotid-salivary-gland fragments exposed to (Michell, R. H. & Jones, L. M.) 47–52

Adrenocorticotrophin, metabolism of two analogues of, in rat small intestine (Lowry, P. J. & McMartin, C.) 87–95

Adrenocorticotrophin, *see* Corticotrophin

Alanine, mechanisms for the formation of aspartate and, in rat liver *in vivo* after the administration of ammonium chloride (Brosnan, J. T. & Williamson, D. H.) 453–462

Alkyl sulphate esters, chemical definition of, acting as inducers of alkylsulphatases present in *Pseudomonas* C12B (Dodgson, K. S., Fitzgerald, J. W. & Payne, W. J.) 53–62

Alkylsulphatases, chemical definition of inducers of, present in *Pseudomonas* C12B (Dodgson, K. S., Fitzgerald, J. W. & Payne, W. J.) 53–62

Alkylsulphatases, primary, induction of, and the metabolism of sodium hex-1-yl sulphate by *Pseudomonas* C12B (Fitzgerald, J. W., Dodgson, K. S. & Payne, W. J.) 63–69

α-Amanitin, action of, *in vivo* on the biosynthesis and maturation of ribonucleic acids in mouse liver (Hadjiolov, A. A., Dabeva, M. D. & Mackedonski, V. V.) 321–334

Aminoacetone, metabolism of, via 1-aminopropan-2-ol in *Pseudomonas* sp. N.C.I.B. 8858 (Faulkner, A. & Turner, J. M.) 263–276

Amino acids, fluctuations in the rate of biosynthesis of messenger ribonucleic acid in cultures of *Escherichia coli* recovering from a period of deprivation of (Midgley, J. E. M. & Smith, R. J.) 155–163

1-Aminopropan-2-ol, metabolism of aminoacetone via, in *Pseudomonas* sp. N.C.I.B. 8858 (Faulkner, A. & Turner, J. M.) 263–276

Ammonium chloride, mechanisms for the formation of alanine and aspartate in rat liver *in vivo* after the administration of (Brosnan, J. T. & Williamson, D. H.) 453–362

Antigens, blood-group, distribution of, on butan-1-ol extraction of human erythrocyte 'ghosts' (Anstee, D. J. & Tanner, M. J. A.) 381–386

Aspartate, mechanisms for the formation of alanine and, in rat liver *in vivo* after the administration of ammonium chloride (Brosnan, J. T. & Williamson, D. H.) 453–462

Aspirin, *see* Acetylsalicylate

Asterias rubens, *see* Starfish

Bacillus stearothermophilus B65, biosynthesis of teichoic acid by a particulate enzyme preparation from (Kennedy, L. D.) 525–535

Benzoate, effect of, on the oxidation of succinate by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175

Beta vulgaris, *see* Spinach beet

Blood-group antigens, distribution of, on butan-1-ol extraction of human erythrocyte 'ghosts' (Anstee, D. J. & Tanner, M. J. A.) 381–386

Blood-group MN activity, simple procedure for the isolation of a sialoglycoprotein with, from human erythrocyte 'ghosts' (Anstee, D. J. & Tanner, M. J. A.) 381–386

Blood platelets, *see* Platelets, blood

Blood, rat, sequential changes in the concentrations of metabolic intermediates in, and other tissues after acute deprivation of insulin during streptozotocin-diabetes (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Brain, rat, accessibility to a neuraminidase preparation and the possible existence of different pools in relation to the biosynthesis of gangliosides of microsomal membranes of (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298
Brain, rat, anaesthetized, regulation of the metabolism of glucose and ketone bodies in (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Brain, rat, sequential changes in the concentrations of metabolic intermediates in, and other tissues after acute deprivation of insulin during streptozotocin-diabetes (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Brain, rodent, induction by guanine of the activities of guanine deaminase and its inhibitor in, and liver (Sitaramayya, A., Ali, S., Sree Kumar, K. & Krishnan, P. S.) 143–146

Calcium, transport of, in the early conceptus and associated maternal tissues in the rabbit (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Calcium ions, effects of sodium ions and, on the metabolism of glucose and the release of insulin by isolated mouse pancreas islets of Langerhans (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45
Carbamoyl phosphate, biosynthesis of citrulline in rat tissues and the liver contents of ornithine and (Raijman, L.) 225–232
Cell cycle, development of cytochromes during, of glucose-repressed *Schizosaccharomyces pombe* 972h (Poole, R. K., Lloyd, D. & Chance, B.) 201–210
Cells, adrenal-gland, rat, isolated, use of a cell purification procedure to diminish inactivation by peptidase activity during the bioassay of corticotrophin and analogues with a system containing (Bennett, H., Bullock, G., Lowry, P. J., McMartin, C. & Peters, J.) 185–194
Cells, thymus-gland, rat, cultured, isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of thymidine and deoxycytidine by (Sjostrom, D. A. & Forsdyke, D. R.) 253–262
Cerebrospinal fluid, rat, sequential changes in the concentrations of metabolic intermediates in, and other tissues after acute deprivation of insulin during streptozotocin-diabetes (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Chick, new cell-fractionation approach for the study of quantitative changes in free and membrane-bound ribosomes in liver of, during development (O'Toole, K. & Pollak, J. K.) 359–371
Chloroacetaldehyde, use of, in a simple fluorimetric micro assay method for the determination of total adenine nucleotides in blood platelets and plasma (Gordon, J. L. & Drummond, A. H.) 165–169
Cholesteryl 14-methylhexadecanoate, influence of, on peptide elongation by systems containing rat liver ribosomes or ribosomal subunits (Hradec, J., Dušek, Z. & Mach, O.) 147–154
Choline *O*-sulphate, formation of, from sodium hex-1-yl sulphate by *Pseudomonas* C12B (Fitzgerald, J. W., Dodgson, K. S. & Payne, W. J.) 63–69
Chromatium strain D, detection and characterization by electron-paramagnetic-resonance spectroscopy of iron–sulphur proteins and other components of the electron-transport system in chromatophores from (Evans, M. C. W., Lord, A. V. & Reeves, S. G.) 177–183
Chromatophores, *Chromatium* strain D, detection and characterization by electron-paramagnetic-resonance spectroscopy of iron–sulphur proteins and other components of the electron-transport system in (Evans, M. C. W., Lord, A. V. & Reeves, S. G.) 177–183
Citric acid cycle, *see* Tricarboxylic acid cycle
Citrulline, biosynthesis of, in rat tissues and the liver contents of carbamoyl phosphate and ornithine (Raijman, L.) 225–232
Cockroach (*Periplaneta americana*), involvement of 3-*O*-hydrosulphato-4-hydroxyphenethylamine in sclerotization of the cuticle of (Bodnaryk, R. P. & Brunet, P. C. J.) 463–469
Coenzyme A-transferase, mitochondrial, liver, rat, evidence for the involvement of the activity of, in the formation of acetoacetate from 3-hydroxy-3-methylglutarate (Deana, R., Meneghello, R., Manzi, L. & Gregolin, C.) 481–486
Collagen, effects of acetylsalicylate and, on the concentration of guanosine 3′:5′-cyclic monophosphate in human blood platelets (Haslam, R. J. & McClenaghan, M. D.) 317–320
Colneleate, enzymic and non-enzymic degradation of, an unsaturated fatty acid ether intermediate in the lipoxygenase pathway of linoleate oxidation in potato tubers (Galliard, T., Wardale, D. A. & Matthew, J. A.) 23–31
Conceptus, early, rabbit, calcium transport in, and associated maternal tissues (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Corticosteroids, effects of the administration of diquat and paraquat on control of the biosynthesis of, in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Corticotrophin, *see* Adrenocorticotrophin
Corticotrophin, use of a cell purification procedure to diminish inactivation by peptidase activity during the bioassay of, and analogues with a system containing isolated rat adrenal-gland cells (Bennett, H., Bullock, G., Lowry, P. J., McMartin, C. & Peters, J.) 185–194
Cortisol, absence of hormonal induction by, of the activity of tryptophan pyrrolase in guinea-pig liver (Badawy, A. A.-B. & Evans, M.) 445–451
Cuticle, cockroach, involvement of 3-*O*-hydrosulphato-4-hydroxyphenethylamine in the sclerotization of (Bodnaryk, R. P. & Brunet, P. C. J.) 463–469
α-Cyano-4-hydroxycinnamate, specific inhibition by, of pyruvate transport in rat liver mitochondria and human erythrocytes (Halestrap, A. P. & Denton, R. M.) 313–316
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate

Cyclic guanosine 3′:5′-monophosphate, *see* Guanosine 3′:5′-cyclic monophosphate
L-Cycloserine, effects of the administration of, on the formation of alanine and aspartate in rat liver *in vivo* after the administration of ammonium chloride (Brosnan, J. T. & Williamson, D. H.) 453–462
Cytochromes, development of, during the cell cycle of glucose-repressed *Schizosaccharomyces pombe* 972h (Poole, R. K., Lloyd, D. & Chance, B.) 201–210
Cytosol fractions, skeletal-muscle, uterus and liver, rat, catalysis of reaction of the pentose phosphate pathway by (Wood, T.) 71–76

Data, weighting functions and the effect of truncation of, in the fitting of multi-exponential functions (Atkins, G. L.) 125–127
Deoxycytidine, isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of thymidine and, by cultured rat thymus-gland cells (Sjostrom, D. A. & Forsdyke, D. R.) 253–262
Deoxyribonucleic acid, isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of thymidine and deoxycytidine into, by cultured rat thymus-gland cells (Sjostrom, D. A. & Forsdyke, D. R.) 253–262
Development, changes in the activity of a protein kinase inhibitor from rat brown adipose tissue during (Skala, J. P., Drummond, G. I. & Hahn, P.) 195–199
Development, new cell-fractionation approach for the study of quantitative changes in free and membrane-bound ribosomes in chick liver during (O'Toole, K. & Pollak, J. K.) 359–371
Diabetes, streptozotocin-, effect of, on the metabolism of glucose and ketone bodies in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Diabetes, streptozotocin-, sequential changes in the concentrations of metabolic intermediates in blood, liver, cerebrospinal fluid and brain after acute deprivation of insulin in rats with (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Diacylglycerol 3-phosphate, characteristics of the biosynthesis of monoacylglycerol 3-phosphate in rabbit heart mitochondrial and microsomal fractions (Liu, M.-S. & Kako, K. J.) 11–21
Dicarboxylate ions, inhibition by inorganic phosphate, phosphate esters and phosphate compounds of the transport of, by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175
NN′-Dimethyl-4,4′-bipyridilium (paraquat), effects of the administration of, on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Diquat (*NN′*-ethylene-2,2′-bipyridilium), effects of the administration of, on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Dolichol, endogenous, involvement of, in the formation of lipid-linked precursors of glycoprotein in regenerating rat liver (Martin, H. G. & Thorne, K. J. I.) 281–289
Dolichol, radioactive, biosynthesis of, from [4*S*-^{3}H]-mevalonate in regenerating rat liver (Martin, H. G. & Thorne, K. J. I.) 277–280
Dopamine 3-*O*-sulphate (3-*O*-hydrosulphato-4-hydroxyphenethylamine), involvement of, in the sclerotization of cockroach cuticle (Bodnaryk, R. P. & Brunet, P. C. J.) 463–469

Electron-transport system, detection and characterization by electron-paramagnetic-resonance spectroscopy of iron–sulphur proteins and other components of, in chromatophores from *Chromatium* strain D (Evans, M. C. W., Lord, A. V. & Reeves, S. G.) 177–183
Endometrium, uterine, rabbit, calcium transport in the early conceptus and, and other maternal tissues (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Erythrocyte 'ghosts', human, distribution of blood-group antigens on butan-1-ol extraction of (Anstee, D. J. & Tanner, M. J. A.) 381–386
Erythrocytes, human, specific inhibition by α-cyano-4-hydroxycinnamate of pyruvate transport in (Halestrap, A. P. & Denton, R. M.) 313–316
Erythroid cells, rabbit, calculation of the rate of biosynthesis of globin messenger ribonucleic acid from data of the haemoglobin content of (Hunt, J. A.) 499–510
Erythroid cells, rabbit, determination of the half-life and relative rate of biosynthesis of globin messenger ribonucleic acid in (Hunt, J. A.) 487–498
Escherichia coli, fluctuations in the rate of biosynthesis of messenger ribonucleic acid in cultures of, recovering from amino acid starvation (Midgley, J. E. M. & Smith, R. J.) 155–163
Escherichia coli K 12, isolation of a mutant strain of, in which oxidative phosphorylation is uncoupled and in which membrane structure is altered (Cox, G. B., Gibson, F. & McCann, L.) 211–215
NN′-Ethylene-2,2′-bipyridilium (diquat), effects of the administration of, on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443

Fatty acids, metabolic adaptations in the biosynthesis of, during lactogenesis in rabbit mammary gland during pregnancy and lactation (Mellenberger, R. W. & Bauman, D. E.) 373–379
Foetus, early, rabbit, calcium transport in, and associated maternal tissues (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Formate, oxidation of, by spinach leaf peroxisomes and mitochondria (Halliwell, B.) 77–85
Fructose, regulation of the metabolism of glucose and, in *Acetobacter xylinum* (Weinhouse, H. & Benziman, M.) 537–542
Functions, multi-exponential, weighting functions and the effect of truncation of data in the fitting of (Atkins, G. L.) 125–127

Gangliosides, accessibility to a neuraminidase preparation and the possible existence of different pools in relation to the biosynthesis of, of rat brain microsomal membranes (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298

Globin, mouse, calculation of the rate of biosynthesis of the messenger ribonucleic acid for, from data of the haemoglobin content of erythroid cells (Hunt, J. A.) 499–510

Globin, mouse, determination of the half-life and relative rate of biosynthesis of the messenger ribonucleic acid for, in erythroid cells (Hunt, J. A.) 487–498

Gluconeogenesis, inhibition by 3-mercaptopicolinate of, in rat liver and kidney cortex (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394

Gluconeogenesis, possible physiological role for the anti-anabolic action of adenosine 3′:5′-cyclic monophosphate in the regulation of, in liver (Sellers, A., Bloxham, D. P., Munday, K. A. & Akhtar, M.) 335–340

Glucose, catalysis of reactions of the pentose phosphate pathway for the metabolism of, by cytosol fractions from rat skeletal muscle, uterus and liver 71–76

Glucose, development of cytochromes during the cell cycle of *Schizosaccharomyces pombe* 972h repressed by (Poole, R. K., Lloyd, D. & Chance, B.) 201–210

Glucose, effects of calcium and sodium ions on the metabolism of, and the release of insulin by isolated mouse pancreas islets of Langerhans (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45

Glucose, inhibition by 3-mercaptopicolinate of the formation of, from lactate and other substrates in rat liver and kidney cortex (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394

Glucose, regulation of the metabolism of fructose and, in *Acetobacter xylinum* (Weinhouse, H. & Benziman, M.) 537–542

Glucose 6-phosphate dehydrogenase, roles of oxidized glutathione, reduced nicotinamide–adenine dinucleotide phosphate and, in the regulation of the pentose phosphate pathway for the metabolism of glucose in rat liver (Eggleston, L. V. & Krebs, H. A.) 425–435

Glucose, regulation of the metabolism of ketone bodies and, in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10

Glucose, regulation of the pentose phosphate pathway for the metabolism of, in rat liver (Eggleston, L. V. & Krebs, H. A.) 425–435

Glucose, simulation of the pentose phosphate pathway for the metabolism of, in lactating rat mammary gland (Haut, M. J., London, J. W. & Garfinkel, D.) 511–524

β-Glucuronidase, liver, rabbit, subcellular distribution and immunochemical properties of (Dean, R. T.) 407–413

β-Glucuronidase, purification, properties and the existence of multiple forms of, from rabbit liver (Dean, R. T.) 395–405

Glutamate dehydrogenase, role of, in the regulation of nitrogen metabolism in liver (Parrilla, R. & Goodman, M. N.) 341–348

Glutathione, oxidized, roles of glucose 6-phosphate dehydrogenase, reduced nicotinamide–adenine dinucleotide phosphate and, in the regulation of the pentose phosphate pathway for the metabolism of glucose in rat liver (Eggleston, L. V. & Krebs, H. A.) 425–435

Glycerol 3-monophosphate, monoacyl- and diacyl-, characteristics of the biosynthesis of, in rabbit heart mitochondrial and microsomal fractions (Liu, M.-S. & Kako, K. J.) 11–21

Glycerol phosphate polymer chains, biosynthesis of, by a particulate enzyme preparation from *Bacillus stearothermophilus* B65 (Kennedy, L. D.) 525–535

Glycogen, effects of the administration of diquat and paraquat on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of, of the liver (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443

Glycollate, oxidative decarboxylation of glyoxylate and, by peroxisomes from spinach and spinach-beet leaves (Halliwell, B. & Butt, V. S.) 217–225

Glycolysis, anaerobic, in a reconstituted mixture of glycolytic enzymes from skeletal muscle in response to simulated muscular tetanic contraction (Scopes, R. K.) 119–123

Glycoprotein, involvement of endogenous dolichol in the formation of lipid-linked precursors of, in regenerating rat liver (Martin, H. G. & Thorne, K. J. I.) 281–289

Glyoxylate, oxidative decarboxylation of glycollate and, by peroxisomes from spinach and spinach-beet leaves (Halliwell, B. & Butt, V. S.) 217–225

Guanine deaminase, induction by guanine of the activities of, and its inhibitor in rodent liver and brain (Sitaramayya, A., Ali, S., Sree Kumar, K. & Krishnan, P. S.) 143–146

Guanine, induction by, of the activities of guanine deaminase and its inhibitor in rodent liver and brain (Sitaramayya, A., Ali, S., Sree Kumar, K. & Krishnan, P. S.) 143–146

Guanosine 3′:5′-cyclic monophosphate, effects of collagen and acetylsalicylate on the concentration of, in human blood platelets (Haslam, R. J. & McClenaghan, M. D.) 317–320

Haemoglobin, calculation of the rate of biosynthesis of globin messenger ribonucleic acid from data of the content of, of rabbit erythroid cells (Hunt, J. A.) 499–510

Haemoprotein, 465nm-absorbing, association of, with hydroxylamine oxidase activity in *Nitrosomonas europaea* (Ritchie, G. A. F. & Nicholas, D. J. D.) 471–480

Heart, rabbit, characteristics of the biosynthesis of monoacyl- and diacyl-glycerol 3-phosphate in mitochondrial and microsomal fractions from (Liu, M.-S. & Kako, K. J.) 11–21

Hepatectomy, involvement of endogenous dolichol in the formation of lipid-linked precursors of glycoprotein in regenerating rat liver after (Martin, H. G. & Thorne, K. J. I.) 281–289

Hepatectomy, partial, biosynthesis of radioactive dolichol from [4*S*-^{3}H]mevalonate in regenerating rat liver after (Martin, H. G. & Thorne, K. J. I.) 277–280

Hexadec-2-yl sulphate, potassium, chemical definition of, and other inducers of alkylsulphatases present in *Pseudomonas* C12B (Dodgson, K. S., Fitzgerald, J. W. & Payne, W. J.) 53–62
Hex-1-yl sulphate, sodium, chemical definition of, and other inducers of alkylsulphatases present in *Pseudomonas* C12B (Dodgson, K. S., Fitzgerald, J. W. & Payne, W. J.) 53–62
Hex-1-yl sulphate, sodium, induction of primary alkylsulphatases and the metabolism of, by *Pseudomonas* C12B (Fitzgerald, J. W., Dodgson, K. S. & Payne, W. J.) 63–69
Hexose phosphates, regulation of the metabolism of, in *Acetobacter xylinum* (Weinhouse, H. & Benziman, M.) 537–542
Hydrocortisone, *see* Cortisol
3-*O*-Hydrosulphato-4-hydroxyphenethylamine(dopamine 3-*O*-sulphate), involvement of, in the sclerotization of cockroach cuticle (Bodnaryk, R. P. & Brunet, P. C. J.) 463–469
3-Hydroxybutyrate, regulation of the metabolism of glucose, acetoacetate and, in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Hydroxylamine oxidase, partial characterization of purified nitrite reductase and, from *Nitrosomonas europaea* (Ritchie, G. A. F. & Nicholas, D. J. D.) 471–480
3-Hydroxy-3-methylglutarate, formation of acetoacetate from, by rat liver and evidence for the involvement of a mitochondrial coenzyme A-transferase activity (Deana, R., Meneghello, R., Manzi, L. & Gregolin, C.) 481–486

Insulin, effects of calcium and sodium ions on the metabolism of glucose and the release of, by isolated mouse pancreas islets of Langerhans (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45
Insulin, sequential changes in the concentrations of metabolic intermediates in blood, liver, cerebrospinal fluid and brain after acute deprivation of, in streptozotocin-diabetic rats (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Intestine, small, rat, metabolism of two adrenocorticotrophin analogues in (Lowry, P. J. & McMartin, C.) 87–95
Iodinated particles, thyroid-gland, rat and horse, fractionation of, and mitochondria by zonal centrifugation and a study of their heterogeneity (Miquelis, R. & Simon, C.) 299–304
Iron–sulphur proteins, detection and characterization by electron-paramagnetic-resonance spectroscopy of, and other components of the electron-transport system in chromatophores from *Chromatium* strain D (Evans, M. C. W., Lord, A. V. & Reeves, S. G.) 177–183
Islets of Langerhans, pancreas, mouse, isolated, effects of calcium and sodium ions on the metabolism of glucose and the release of insulin by (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45

Ketone bodies, regulation of the metabolism of glucose and, in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Kidney cortex, rat, inhibition by 3-mercaptopicolinate of gluconeogenesis in, and liver (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394
Kidney, rat and pig, effects of acetylcolletotrichin on the respiratory chain of mitochondria from (Foucher, B., Chappell, J. B. & McGivan, J. D.) 415–423

Lactate, inhibition by 3-mercaptopicolinate of the formation of glucose from, in rat liver and kidney cortex (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394
Lactation, metabolic adaptations in the biosynthesis of fatty acids during lactogenesis in rabbit mammary gland during pregnancy and (Mellenberger, R. W. & Bauman, D. E.) 373–379
Lactation, simulation of the pentose phosphate pathway in rat mammary gland during (Haut, M. J., London, J. W. & Garfinkel, D.) 511–524
Lactogenesis, metabolic adaptations in the biosynthesis of fatty acids during, in rabbit mammary gland during pregnancy and lactation (Mellenberger, R. W. & Bauman, D. E.) 373–379
Lanosterol, biosynthesis of, in the free-living nematode *Panagrellus redivivus* (Willett, J. D. & Downey, W. L.) 233–237
Lanthanum ions, accumulation of, by rat liver mitochondria (Reed, K. C. & Bygrave, F. L.) 239–252
Leaves, spinach and spinach-beet, oxidative decarboxylation of glycollate and glyoxylate by peroxisomes from (Halliwell, B. & Butt, V. S.) 217–225
Leaves, spinach, oxidation of formate by peroxisomes and mitochondria from (Halliwell, B.) 77–85
Leucine, inhibitory effect of adenosine 3′:5′-cyclic monophosphate on the incorporation of, into protein in a cell-free system from rat liver (Sellers, A., Bloxham, D. P., Munday, K. A. & Akhtar, M.) 335–340
Linoleate, enzymic and non-enzymic degradation of colneleate, an unsaturated fatty acid ether intermediate in the lipoxygenase pathway of oxidation of, in potato tubers (Galliard, T., Wardale, D. A. & Matthew, J. A.) 23–31
Lipoxygenase pathway, enzymic and non-enzymic degradation of colneleate, an unsaturated fatty acid ether intermediate in, of linoleate oxidation in potato tubers (Galliard, T., Wardale, D. A. & Matthews, J. A.) 23–31
Liver, chick, new cell-fractionation approach for the study of quantitative changes in free and membrane-bound ribosomes in, during development (O'Toole, K. & Pollak, J. K.) 359–371
Liver, guinea-pig, absence of detectable tryptophan pyrrolase apoenzyme from, and evidence for possible regulation of the holoenzyme activity by tryptophan, but not by hormonal induction by cortisol (Badawy, A. A.-B. & Evans, M.) 445–451
Liver, mouse, action of α-amanitin *in vivo* on the biosynthesis and maturation of ribonucleic acids in (Hadjiolov, A. A., Dabeva, M. D. & Mackedonski, V. V.) 321–334
Liver, rabbit, purification, properties and the existence of multiple forms of β-glucuronidase from (Dean, R. T.) 395–405

Liver, rabbit, subcellular distribution and immunochemical properties of β-glucuronidase from (Dean, R. T.) 407–413
Liver, rat, accumulation of lanthanum ions by mitochondria from (Reed, K. C. & Bygrave, F. L.) 239–252
Liver, rat, biosynthesis of citrulline in rat tissues and the contents of carbamoyl phosphate and ornithine in (Raijman, L.) 225–232
Liver, rat, catalysis of reactions of the pentose phosphate pathway by cytosol fractions from, and other tissues (Wood, T.) 71–76
Liver, rat, contamination of fractions of free ribosomes from, by detached previously membrane-bound ribosomes (O'Toole, K.) 305–307
Liver, rat, effect of pH in the action of trialkyltin compounds on respiration by mitochondria from (Dawson, A. P. & Selwyn, M. J.) 349–357
Liver, rat, effects of acetylcolletotrichin on the respiratory chain of mitochondria from (Foucher, B., Chappell, J. B. & McGivan, J. D.) 415–423
Liver, rat, effects of the administration of diquat and paraquat on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of glycogen of (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Liver, rat, formation of acetoacetate from 3-hydroxy-3-methylglutarate by, and evidence for the involvement of a mitochondrial coenzyme A-transferase activity (Deana, R., Meneghello, R., Manzi, L. & Gregolin, C.) 481–486
Liver, rat, influence of cholesteryl 14-methylhexadecanoate on peptide elongation by systems containing polyribosomes or ribosomal subunits from (Hradec, J., Dušek, Z. & Mach, O.) 147–154
Liver, rat, inhibition by inorganic phosphate, phosphate esters and phosphonate compounds of the transport of dicarboxylate ions by mitochondria from (Johnson, R. N. & Chappell, J. B.) 171–175
Liver, rat, inhibition by 3-mercaptopicolinate of gluconeogenesis in, and kidney cortex (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394
Liver, rat, inhibition of translation by polyribosomes of, by *S*-(undec-10-en-1-yl)isothiouronium iodide, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Liver, rat, inhibitory effect of adenosine 3′:5′-cyclic monophosphate on the biosynthesis of protein in a cell-free system from (Sellers, A., Bloxham, D. P., Munday, K. A. & Akhtar, M.) 335–340
Liver, rat, mechanisms for the formation of alanine and aspartate in, *in vivo* after the administration of ammonium chloride (Brosnan, J. T. & Williamson, D. H.) 453–462
Liver, rat, perfused, isolated, nitrogen balance, redox state and rates of proteolysis in (Parrilla, R. & Goodman, M. N.) 341–348
Liver, rat, regenerating, biosynthesis of radioactive dolichol from [4*S*-^{3}H]mevalonate in (Martin, H. G. & Thorne, K. J. I.) 277–280
Liver, rat, regenerating, involvement of endogenous dolichol in the formation of lipid-linked precursors of glycoprotein in (Martin, H. G. & Thorne, K. J. I.) 281–289
Liver, rat, regulation of the pentose phosphate pathway for the metabolism of glucose in (Eggleston, L. V. & Krebs, H. A.) 425–435
Liver, rat, sequential changes in the concentrations of metabolic intermediates in, and other tissues after acute deprivation of insulin during streptozotocin-diabetes (Blackshear, P. J. & Alberti, K. G. M. M.) 107–117
Liver, rat, specific inhibition by α-cyano-4-hydroxycinnamate of pyruvate transport in mitochondria from (Halestrap, A. P. & Denton, R. M.) 313–316
Liver, rodent, induction by guanine of the activities of guanine deaminase and its inhibitor in, and brain (Sitaramayya, A., Ali, S., Sree Kumar, K. & Krishnan, P. S.) 143–146
Lysosomes, liver, rabbit, immunochemical properties of multiple forms of β-glucuronidase from, and microsomal fraction (Dean, R. T.) 407–413
Lysosomes, thyroid-gland, rat and horse, fractionation of, and mitochondria by zonal centrifugation and a study of their heterogeneity (Miquelis, R. & Simon, C.) 299–304

Mammary gland, rabbit, metabolic adaptations in the biosynthesis of fatty acids during lactogenesis in, during pregnancy and lactation (Mellenberger, R. W. & Bauman, D. E.) 373–379
Mammary gland, rat, lactating, simulation of the pentose phosphate pathway in (Haut, M. J., London, J. W. & Garfinkel, D.) 511–524
Mannolipid, involvement of endogenous dolichol in the formation of, as a precursor of glycoprotein in regenerating rat liver (Martin, H. G. & Thorne, K. J. I.) 281–289
Marthasterias glacialis, *see* Starfish
Membrane, isolation of a mutant strain of *Escherichia coli* K12 in which oxidative phosphorylation is uncoupled and in which the structure of, is altered (Cox, G. B., Gibson, F. & McCann, L.) 211–215
Membranes, microsomal, brain, rat, accessibility to a neuraminidase preparation and the possible existence of different pools in relation to the biosynthesis of gangliosides of (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298
3-Mercaptopicolinate, inhibition by, of gluconeogenesis in rat liver and kidney cortex (DiTullio, N. W., Berkoff, C. E., Blank, B., Kostos, V., Stack, E. J. & Saunders, H. L.) 387–394
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
[4*S*-^{3}H]Mevalonate, biosynthesis of radioactive dolichol from, in regenerating rat liver (Martin, H. G. & Thorne, K. J. I.) 277–280
Microsomal fraction, brain, rat, accessibility to a neuraminidase preparation and the possible existence of different pools in relation to the biosynthesis of gangliosides of (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298

Microsomal fraction, heart, rabbit, characteristics of the biosynthesis of monoacyl- and diacyl-glycerol 3-phosphate in, and mitochondria (Liu, M.-S. & Kako, K. J.) 11–21
Microsomal fraction, liver, rabbit, immunochemical properties of multiple forms of β-glucuronidase from, and lysosomes (Dean, R. T.) 407–413
Mitochondria, effects of acetylcolletotrichin on the respiratory chain of, from various sources (Foucher, B., Chappell, J. B. & McGivan, J. D.) 415–423
Mitochondria, heart, rabbit, characteristics of the biosynthesis of monoacyl- and diacyl-glycerol 3-phosphate in, and microsomal fraction (Liu, M.-S. & Kako, K. J.) 11–21
Mitochondria, liver, rat, accumulation of lanthanum ions by (Reed, K. C. & Bygrave, F. L.) 239–252
Mitochondria, liver, rat, effect of pH in the action of trialkyltin compounds on respiration by (Dawson, A. P. & Selwyn, M. J.) 349–357
Mitochondria, liver, rat, formation of acetoacetate from 3-hydroxy-3-methylglutarate by, and evidence for the involvement of a coenzyme A-transferase activity (Deana, R., Meneghello, R., Manzi, L. & Gregolin, C.) 481–486
Mitochondria, liver, rat, inhibition by inorganic phosphate, phosphate esters and phosphonate compounds of the transport of dicarboxylate ions by (Johnson, R. N. & Chappell, J. B.) 171–175
Mitochondria, liver, rat, specific inhibition by α-cyano-4-hydroxycinnamate of pyruvate transport in (Halestrap, A. P. & Denton, R. M.) 313–316
Mitochondria, spinach-leaf, oxidation of formate by, and peroxisomes (Halliwell, B.) 77–85
Mitochondria, thyroid-gland, rat and horse, fractionation of, and iodinated particles by zonal centrifugation and a study of their heterogeneity (Miquelis, R. & Simon, C.) 299–304
Monoacylglycerol 3-phosphate, characteristics of the biosynthesis of, and diacylglycerol 3-phosphate in rabbit heart mitochondrial and microsomal fractions (Liu, M.-S. & Kako, K. J.) 11–21
Multi-exponential functions, *see* Functions, multi-exponential
Muscle, skeletal, anaerobic glycolysis in a reconstituted mixture of glycolytic enzymes from, in response to simulated muscular tetanic contraction (Scopes, R. K.) 119–123
Muscle, skeletal, presence of a reduced nicotinamide–adenine dinucleotide phosphate–triose phosphate oxidoreductase and catalysis of reactions of the pentose phosphate pathway by cytosol fraction from (Wood, T.) 71–76
Muscular contraction, tetanic, simulated, anaerobic glycolysis in a reconstituted mixture of glycolytic enzymes from skeletal muscle in response to (Scopes, R. K.) 119–123

Nematode, free-living (*Panagrellus redivivus*), biosynthesis of sterols in (Willett, J. D. & Downey, W. L.) 233–237
Neuraminidase, accessibility to a preparation of, and the possible existence of different pools in relation to the biosynthesis of gangliosides of rat brain microsomal membranes (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298
Nicotinamide–adenine dinucleotide, nitrogen balance, rates of proteolysis and redox state of, in isolated perfused rat liver (Parrilla, R. & Goodman, M. N.) 341–348
Nicotinamide–adenine dinucleotide phosphate, reduced, roles of glucose 6-phosphate dehydrogenase, oxidized glutathione and, in the regulation of the pentose phosphate pathway for the metabolism of glucose in rat liver (Eggleston, L. V. & Krebs, H. A.) 425–435
Nicotinamide–adenine dinucleotide (phosphate) transhydrogenase, adenosine triphosphate-dependent, activities of, in mutant strains of *Escherichia coli* in which oxidative phosphorylation is uncoupled (Cox, G. B., Gibson, F. & McCann, L.) 211–215
Nicotinamide–adenine dinucleotide (reduced)–triose phosphate oxidoreductase, presence of, and catalysis of reactions of the pentose phosphate pathway by rat skeletal-muscle cytosol fraction (Wood, T.) 71–76
Nitrite reductase, partial characterization of purified hydroxylamine oxidase and, from *Nitrosomonas europaea* (Ritchie, G. A. F. & Nicholas, D. J. D.) 471–480
Nitrogen balance, redox state, rates of proteolysis and, in isolated perfused rat liver (Parrilla, R. & Goodman, M. N.) 341–348
Nitrosomonas europaea, partial characterization of purified nitrite reductase and hydroxylamine oxidase from (Ritchie, G. A. F. & Nicholas, D. J. D.) 471–480

Ornithine, biosynthesis of citrulline in rat tissues and the liver contents of carbamoyl phosphate and (Raijman, L.) 225–232
Oxidative phosphorylation, *see* Phosphorylation, oxidative

Panagrellus redivivus, biosynthesis of sterols in (Willett, J. D. & Downey, W. L.) 233–237
Pancreas, mouse, effects of calcium and sodium ions on the metabolism of glucose and the release of insulin by isolated islets of Langerhans from (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45
Paraquat (*NN'*-dimethyl-4,4'-bipyridilium), effects of the administration of, on control of the biosynthesis of corticosteroids in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Parotid salivary gland, rat, enhanced incorporation of inorganic [^{32}P]phosphate into phosphatidylinositol in fragments of, exposed to α-adrenergic stimulation (Michell, R. H. & Jones, L. M.) 47–52
Pentose phosphate pathway, catalysis of reactions of, by cytosol fractions from rat skeletal muscle, uterus and liver (Wood, T.) 71–76
Pentose phosphate pathway, regulation of, for the metabolism of glucose in rat liver (Eggleston, L. V. & Krebs, H. A.) 425–435
Pentose phosphate pathway, simulation of, in lactating rat mammary gland (Haut, M. J., London, J. W. & Garfinkel, D.) 511–524
Pentose phosphates, role of, in the regulation of the metabolism of hexose phosphates in *Acetobacter xylinum* (Weinhouse, H. & Benziman, M.) 537–542

Peptidase, use of a cell purification procedure to diminish inactivation by, during the bioassay of corticotrophin and analogues with a system containing isolated rat adrenal-gland cells (Bennett, H., Bullock, G., Lowry, P. J., McMartin, C. & Peters, J.) 185–194
Peptide bonds, specific, cleavage of, during the metabolism of two adrenocorticotrophin analogues in rat small intestine (Lowry, P. J. & McMartin, C.) 87–95
Periplaneta americana, *see* Cockroach
Peroxisomes, spinach- and spinach-beet-leaf, oxidative decarboxylation of glycollate and glyoxylate by (Halliwell, B. & Butt, V. S.) 217–225
Peroxisomes, spinach-leaf, oxidation of formate by, and mitochondria (Halliwell, B.) 77–85
Phenyl phosphate, inhibition by inorganic phosphate, phenylphosphonate and, of the transport of dicarboxylate ions by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175
Phenylphosphonate, inhibition by inorganic phosphate, phenyl phosphate and, of the transport of dicarboxylate ions by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175
Phosphate, inorganic, inhibition by phenyl phosphate, phenylphosphonate and, of the transport of dicarboxylate ions by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175
[^{32}P]Phosphate, inorganic, enhanced incorporation of, into phosphatidylinositol in rat parotid-salivary-gland fragments exposed to α-adrenergic stimulation (Michell, R. H. & Jones, L. M.) 47–52
Phosphatidylinositol, enhanced incorporation of inorganic [^{32}P]phosphate into, in rat parotid-salivary-gland fragments exposed to α-adrenergic stimulation (Michell, R. H. & Jones, L. M.) 47–52
Phosphofructokinase, inhibition of, by increased concentrations of citrate in brain of streptozotocin- and phlorrhizin-diabetic rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Phosphorylation, oxidative, isolation of a mutant strain of *Escherichia coli* K12 in which, is uncoupled and in which membrane structure is altered (Cox, G. B., Gibson, F. & McCann, L.) 211–215
Photorespiration, role of the oxidative decarboxylation of glycollate and glyoxylate by peroxisomes in, by spinach and spinach-beet leaves (Halliwell, B. & Butt, V. S.) 217–225
Placenta, rabbit, calcium transport in the early conceptus and, and other maternal tissues (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Plasma, simple fluorimetric micro assay method for total adenine nucleotides in blood platelets and, and its application to studies on the platelet-release reaction (Gordon, J. L. & Drummond, A. H.) 165–169
Platelets, blood, human, effects of collagen and acetylsalicylate on the concentration of guanosine 3′:5′-cyclic monophosphate in (Haslam, R. J. & McClenaghan, M. D.) 317–320
Platelets, blood, simple fluorimetric micro assay method for total adenine nucleotides in plasma and, and its application to studies on the platelet-release reaction (Gordon, J. L. & Drummond, A. H.) 165–169
Poly(glycerol phosphate) chains, biosynthesis of, by a particulate enzyme preparation from *Bacillus stearothermophilus* B65 (Kennedy, L. D.) 525–535
Polyribosomes, liver, rat, influence of cholesteryl 14-methylhexadecanoate on peptide elongation by systems containing (Hradec, J., Dušek, Z. & Mach, O.) 147–154
Polyribosomes, liver, rat, inhibition of translation by, by *S*-(undec-10-en-1-yl)isothiouronium iodide, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Polysomes, *see* Polyribosomes
Potato (*Solanum tuberosum*) tubers, enzymic and non-enzymic degradation of colneleate, an unsaturated fatty acid ether intermediate in the lipoxygenase pathway of linoleate oxidation in (Galliard, T., Wardale, D. A. & Matthew, J. A.) 23–31
Pregnancy, calcium transport in the early conceptus and associated maternal tissues in the rabbit during (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Pregnancy, metabolic adaptations in the biosynthesis of fatty acids during lactogenesis in rabbit mammary gland during, and lactation (Mellenberger, R. W. & Bauman, D. E.) 373–379
Progesterone, metabolism of, by the starfish *Asterias rubens* and *Marthasterias glacialis* (Gaffney, J. & Goad, L. J.) 309–311
Propionaldehyde, metabolism of aminoacetone via 1-aminopropan-2-ol to, and propionate in *Pseudomonas* sp. N.C.I.B. 8858 (Faulkner, A. & Turner, J. M.) 263–276
Propionate, metabolism of aminoacetone via 1-aminopropan-2-ol to propionaldehyde and, in *Pseudomonas* sp. N.C.I.B. 8858 (Faulkner, A. & Turner, J. M.) 263–276
Protein, influence of cholesteryl 14-methylhexadecanoate on peptide elongation during the biosynthesis of, by systems containing rat liver polyribosomes or ribosomal subunits (Hradec, J., Dušek, Z. & Mach, O.) 147–154
Protein, inhibition of the biosynthesis of ribonucleic acid and, in rat liver slices by *S*-(undec-10-en-1-yl)-isothiouronium iodide, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Protein, inhibitory effect of adenosine 3′:5′-cyclic monophosphate on the biosynthesis of, in a cell-free system from rat liver (Sellers, A., Bloxham, D. P., Munday, K. A. & Akhtar, M.) 335–340
Protein kinase, adenosine 3′:5′-cyclic monophosphate-dependent, properties of an inhibitor of, from developing rat brown adipose tissue (Skala, J. P., Drummond, G. I. & Hahn, P.) 195–199
Proteins, iron–sulphur, detection and characterization by electron-paramagnetic-resonance spectroscopy of, and other components of the electron-transport system in chromatophores from *Chromatium* strain D (Evans, M. C. W., Lord, A. V. & Reeves, S. G.) 177–183
Proteolysis, nitrogen balance, redox state and rates of, in isolated perfused rat liver (Parrilla, R. & Goodman, M. N.) 341–348
Pseudomonas C12B, chemical definition of inducers of alkylsulphatases present in (Dodgson, K. S., Fitzgerald J. W. & Payne, W. J.) 53–62
Pseudomonas C12B, induction of primary alkylsulphatases and the metabolism of sodium hex-1-yl sulphate by (Fitzgerald, J. W., Dodgson, K. S. & Payne, W. J.) 63–69

Pseudomonas sp. N.C.I.B. 8858, metabolism of aminoacetone via 1-aminopropan-2-ol in (Faulkner, A. & Turner, J. M.) 263–276
Pyruvate, specific inhibition by α-cyano-4-hydroxycinnamate of the transport of, in rat liver mitochondria and human erythrocytes (Halestrap, A. P. & Denton, R. M.) 313–316

Red blood cells, *see* Erythrocytes
Respiration, effect of pH in the action of trialkyltin compounds on, by rat liver mitochondria (Dawson, A. P. & Selwyn, M. J.) 349–357
Respiratory chain, development of cytochrome components of, during the cell cycle of glucose-repressed *Schizosaccharomyces pombe* 972h (Poole, R. K., Lloyd, D. & Chance, B.) 201–210
Respiratory chain, effects of acetylcolletotrichin on, of mitochondria from various sources (Foucher, B., Chappell, J. B. & McGivan, J. D.) 415–423
Reticulocytes, rabbit, calculation of the rate of biosynthesis of globin messenger ribonucleic acid from data of the haemoglobin content of, and other erythroid cells (Hunt, J. A.) 499–510
Reticulocytes, rabbit, determination of the half-life and relative rate of biosynthesis of globin messenger ribonucleic acid in, and other erythroid cells (Hunt, J. A.) 487–498
Reticulum, endoplasmic, liver, chick, new cell-fractionation approach for the study of quantitative changes in ribosomes bound to, during development (O'Toole, K. & Pollak, J. K.) 359–371
Ribonucleic acid, inhibition of the biosynthesis of, and protein in rat liver slices by *S*-(undec-10-en-1-yl)isothiouronium iodide, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Ribonucleic acid, messenger, calculation of the rate of biosynthesis of, for globin from data of the haemoglobin content of rabbit erythroid cells (Hunt, J. A.) 499–510
Ribonucleic acid, messenger, determination of the half-life and relative rate of biosynthesis of, for globin in rabbit erythroid cells (Hunt, J. A.) 487–498
Ribonucleic acid, messenger, fluctuations in the rate of biosynthesis of, in cultures of *Escherichia coli* recovering from amino acid starvation (Midgley, J. E. M. & Smith, R. J.) 155–163
Ribonucleic acid polymerases, effect of α-amanitin *in vivo* on the activities of, in mouse liver (Hadjiolov, A. A., Dabeva, M. D. & Mackedonski, V. V.) 321–334
Ribonucleic acid, ribosomal, action of α-amanitin *in vivo* on the biosynthesis and maturation of, in mouse liver (Hadjiolov, A. A., Dabeva, M. D. & Mackedonski, V. V.) 321–334
Ribonucleic acids, action of α-amanitin *in vivo* on the biosynthesis and maturation of, in mouse liver (Hadjiolov, A. A., Dabeva, M. D. & Mackedonski, V. V.) 321–334
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomal subunits, liver, rat, influence of cholesteryl 14-methylhexadecanoate on peptide elongation by systems containing (Hradec, J., Dušek, Z. & Mach, O.) 147–154
Ribosomes, free and membrane-bound, new cell-fractionation approach for the study of quantitative changes in, in chick liver during development (O'Toole, K. & Pollak, J. K.) 359–371
Ribosomes, free, liver, rat, contamination of fractions of, by detached previously membrane-bound ribosomes (O'Toole, K.) 305–307

Salivary gland, parotid, rat, enhanced incorporation of inorganic [^{32}P]phosphate into phosphatidylinositol in fragments of, exposed to α-adrenergic stimulation (Michell, R. H. & Jones, L. M.) 47–52
Schizosaccharomyces pombe 972h, glucose-repressed, development of cytochromes during the cell cycle of (Poole, R. K., Lloyd, D. & Chance, B.) 201–210
Sialogangliosides, accessibility to a neuraminidase preparation and the possible existence of different pools in relation to the biosynthesis of, of rat brain microsomal membranes (Maccioni, H. J. F., Arce, A., Landa, C. & Caputto, R.) 291–298
Sialoglycoprotein, blood-group-MN-active, simple procedure for the isolation of, from human erythrocyte 'ghosts' (Anstee, D. J. & Tanner, M. J. A.) 381–386
Skeletal muscle, *see* Muscle, skeletal
Small intestine, *see* Intestine, small
Sodium hex-1-yl sulphate, induction of primary alkylsulphatases and the metabolism of, by *Pseudomonas* C12B (Fitzgerald, J. W., Dodgson, K. S. & Payne, W. J.) 63–69
Sodium ions, effects of calcium ions and, on the metabolism of glucose and the release of insulin by isolated mouse pancreas islets of Langerhans (Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. & Täljedal, I.-B.) 33–45
Solanum tuberosum, *see* Potato
Spinacea oleracea, *see* Spinach
Spinach (*Spinacea oleracea*), oxidative decarboxylation of glycollate and glyoxylate by peroxisomes from leaves of (Halliwell, B. & Butt, V. S.) 217–225
Spinach (*Spinacea oleracea*) leaves, oxidation of formate by peroxisomes and mitochondria from (Halliwell, B.) 77–85
Spinach beet (*Beta vulgaris*), oxidative decarboxylation of glycollate and glyoxylate by peroxisomes from leaves of (Halliwell, B. & Butt, V. S.) 217–225
Squalene 2,3-oxide, utilization of, for the biosynthesis of sterols by the free-living nematode *Panagrellus redivivus* (Willett, J. D. & Downey, W. L.) 233–237
Starfish (*Asterias rubens* and *Marthasterias glacialis*), metabolism of progesterone by (Gaffney, J. & Goad, L. J.) 309–311
Starvation, effect of, on the metabolism of glucose and ketone bodies in brain of anaesthetized rats (Ruderman, N. B., Ross, P. S., Berger, M. & Goodman, M. N.) 1–10
Steroids, effects of the administration of diquat and paraquat on control of the biosynthesis of, in rat adrenal gland and subsequent effects on control of the utilization of liver glycogen (Rose, M. S., Crabtree, H. C., Fletcher, K. & Wyatt, I.) 437–443
Sterols, biosynthesis of, in the free-living nematode *Panagrellus redivivus* (Willett, J. D. & Downey, W. L.) 233–237
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-

Succinate, inhibition by inorganic phosphate, phenyl phosphate and phenylphosphonate of the transport of, by rat liver mitochondria (Johnson, R. N. & Chappell, J. B.) 171–175
Supernatant fraction, *see* Cytosol

Teichoic acid, biosynthesis of, by a particulate enzyme preparation from *Bacillus stearothermophilus* B65 (Kennedy, L. D.) 525–535
Tetradec-2-yl sulphate, potassium, chemical definition of, and other inducers of alkylsulphatases present in *Pseudomonas* C12B (Dodgson, K. S., Fitzgerald, J. W. & Payne, W. J.) 53–62
Thiopseudourea, substituted [*S*-(undec-10-en-1-yl)isothiouronium iodide], inhibition of translation by rat liver polyribosomes by, with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Thymidine, isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of deoxycytidine and, by cultured rat thymus-gland cells (Sjostrom, D. A. & Forsdyke, D. R.) 253–262
Thymus-gland cells, rat, cultured, isotope-dilution analysis of rate-limiting steps and pools affecting the incorporation of thymidine and deoxycytidine by (Sjostrom, D. A. & Forsdyke, D. R.) 253–262
Thyroid gland, rat and horse, fractionation of iodinated particles and mitochondria from, by zonal centrifugation and a study of their heterogeneity (Miquelis, R. & Simon, C.) 299–304
Translation, inhibition of, by rat liver polyribosomes by *S*-(undec-10-en-1-yl)isothiouronium iodide, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Trialkyltin compounds, effect of pH in the action of, on respiration by rat liver mitochondria (Dawson, A. P. & Selwyn, M. J.) 349–357
Tricarboxylic acid cycle, effects of intermediates of, on the pattern of the utilization of hexose phosphates in *Acetobacter xylinum* (Weinhouse, H. & Benziman, M.) 537–542
Triethyltin, effect of pH in the action of, and other trialkyltins on respiration by rat liver mitochondria (Dawson, A. P. & Selwyn, M. J.) 349–357
Trimethyltin, effect of pH in the action of, and other trialkyltins on respiration by rat liver mitochondria (Dawson, A. P. & Selwyn, M. J.) 349–357
Tryptophan, possible regulation by, of the activity of tryptophan pyrrolase in guinea-pig liver (Badawy, A. A.-B. & Evans, M.) 445–451
Tryptophan pyrrolase, absence of detectable apoenzyme of, from guinea-pig liver and evidence for possible regulation of the holoenzyme activity by tryptophan, but not by hormonal induction by cortisol (Badawy, A. A.-B. & Evans, M.) 445–451
Tubers, potato, enzymic and non-enzymic degradation of colneleate, an unsaturated fatty acid ether intermediate in the lipoxygenase pathway of linoleate oxidation in (Galliard, T., Wardale, D. A. & Matthew, J. A.) 23–31
Tumours, inhibition of translation by rat liver polyribosomes by *S*-(undec-10-en-1-yl)isothiouronium iodide, a new substituted thiopseudourea with activity against (González-Cadavid, N. F. & Quijada, F. H.) 129–141

S-(Undec-10-en-1-yl)isothiouronium iodide, inhibition of translation by rat liver polyribosomes by, a new substituted thiopseudourea with anti-tumour activity (González-Cadavid, N. F. & Quijada, F. H.) 129–141
Uterus, rabbit, calcium transport in the early conceptus and, and other maternal tissues (McIntosh, J. E. A. & Lutwak-Mann, C.) 97–105
Uterus, rat, catalysis of reactions of the pentose phosphate pathway by cytosol fractions from, and other tissues (Wood, T.) 71–76

Yeast (*Schizosaccharomyces pombe* 972h), glucose-repressed, development of cytochromes during the cell cycle of (Poole, R. K., Lloyd, D. & Chance, B.) 201–210